
SHEEP LOSSES TO ALL CAUSES - 1999

Losses of sheep and lambs to predators, weather, diseases, and other causes has long been a significant risk to producers. In the past 10 years, an average of 11 percent of the lamb crop (before and after docking) in Wyoming has been lost to predators alone. When other causes are added in, this percentage increases to 18 percent. This annual report documents the magnitude and value of these losses. The report is now funded by the Wyoming Business Council, Agribusiness Division.

The source for the underlying data on which these statistics are based is our January survey of nearly all Wyoming sheep producers. The survey is used to estimate sheep and lamb inventories in the State on January 1, the previous year lamb crop, and losses by cause.

The 1999 report indicates that total sheep and lambs lost to predators was down 19 percent from the previous year due in part to a 10 percent drop in January 1 inventories and to an 11 percent drop in the annual lamb crop. When measured as a percentage of supply, lamb predator losses accounted for 10 percent of all lambs dropped, down from 11 percent in 1998. Non-predator losses were also lower thanks to mild weather. The value of sheep and lamb losses to all causes in 1999 is estimated at \$4.76 million.



HIGHLIGHTS

PREDATOR LOSSES DOWN: Wyoming sheep producers lost 48,000 sheep and lambs to predators in 1999, down 19 percent from 1998. The 1999 lamb crop was 11 percent smaller than in 1998. Coyotes were the biggest predator taking 65 percent of the total predator losses and 35 percent of all losses.

ALL LAMB LOSSES DOWN 15 PERCENT: Sheep producers lost 70,000 lambs before or after docking in 1999, 15 percent less than in 1998. Losses to predators accounted for 60 percent of the total. Losses of lambs to weather related causes dropped 41 percent from the previous year but losses to diseases increased 46 percent.

SHEEP LOSSES DOWN 14 PERCENT: Sheep losses in Wyoming during 1999 totaled 18,000 head, down 3,000 head from 1998. Predator losses decreased by 1,000 head to 6,000 and non-predator losses dropped 2,000 head to 12,000.

VALUE OF LOSSES DOWN 14 PERCENT: Sheep producers in Wyoming lost an estimated \$4.76 million from sheep and lamb deaths in 1999, down 14 percent from the previous year. Predation accounted for \$2.43 million. Fewer total losses resulted in the lower total value.

LOSSES OF SHEEP AND LAMBS BY CAUSE: WYOMING 1994-99 1/

	Ox DXIIIXI	TITID DAIVIDS	DI CAUSE.	AN LOIMING	177 4 -77 1/	
Cause of Loss	1994	1995	1996	1997	1998	1999
Country		•		er of Head		
Coyotes	69,000	48,000	49,000	41,000	39,500	31,000
Bobcats	600	300	400	500	600	500
Dogs	800	1,100	1,200	800	1,000	900
Bears	2,600	1,500	900	900	1,500	800
Eagles	11,100	7,800	8,500	7,000	8,400	7,400
Fox	9,000	5,600	6,800	6,300	5,400	4,700
Mountain Lions Ravens 2/	2,000	1,100	1,800	2,100	1,900	2,000
Vultures 2/						200
Other Predators						200
	900	600	400	400	700	300
Total Predators	96,000	66,000	69,000	59,000	59,000	48,000
Weather	11,900	23,700	17,100	30,000	15,400	8,600
Disease	16,100	8,200	9,000	12,300	10,300	14,000
Lambing Complications	9,400	6,900	8,500	6,200	6,700	6,100
Poison	5,200	3,500	3,100	3,300	3,500	3,900
Old Age	4,200	3,700	3,400	1,900	3,100	3,500
On Back	1,200	1,200	1,000	700	900	1,000
Theft	3,000	1,400	1,400	1,300	900	100
Other Known Causes	3,000	4,400	3,500	3,300	3,200	2,800
Total Loss From All Causes	150,000	119,000	116,000	118,000	103,000	88,000
O				otal by Cause		
Coyotes	46.0	40.3	42.2	34.7	38.3	35.2
Bobcats	0.4	0.3	0.3	0.4	0.6	0.6
Dogs	0.5	0.9	1.0	0.7	1.0	1.0
Bears	1.7	1.3	0.8	0.8	1.5	0.9
Eagles Fox	7.4	6.6	7.3	5.9	8.2	8.4
Mountain Lions	6.0	4.7	5.9	5.3	5.2	5.3
Raven 2/	1.3	0.9	1.6	1.8	1.8	2.3
Vultures 2/		·	_			0.2
Other Predators	0.6					0.2
Total Predators		0.5	0.3	0.3	0.7	0.5
	64.0	55.5	59.5	50.0	57.3	54.5
Weather	7.9	19.9	14.7	25.4	14.9	9.8
Disease	10.7	6.9	7.8	10.4	10.0	15.9
Lambing Complications Poison	6.3	5.8	7.3	5.3	6.5	6.9
Old Age	3.5	2.9	2.7	2.8	3.4	4.4
On Back	2.8	3.1	2.9	1.6	3.0	4.0
Theft	0.8	1.0	0.9	0.6	0.9	1.1
Other Known Causes	2.0	1.2	1.2	1.1	0.9	0.1
·	2.0	3.7	3.0	2.8	3.1	3.2
Total Loss From All Causes	100.0	100.0	100.0	100.0	100.0	100.0
Coyotes	2 007 000	0.555.000	Dollar Value of I			
Bobcats	3,087,800	2,556,000	2,916,200	2,496,200	1,969,450	1,577,800
Dogs	29,700	17,520	25,430	32,690	25,860	22,700
Bears	43,400	68,360	83,870	49,670	59,120	57,900
Eagles	132,500	90,690	60,060	59,720	96,690	49,100
Fox	472,500 362,800	387,540	478,800	400,590	388,740	353,000
Mountain Lions	94,200	272,450 62,180	371,670	360,970	232,740	217,640
Ravens 2/	<i>5</i> 4,200	02,160	116,330	132,030	108,590	120,620
Vultures 2/	_					9,080
Other Predators	44,600	28,860	21,640	27.020		9,080
Total Predators	4,267,500	3,483,600	4,074,000	27,030	35,510	17,880
Weather	570,100			3,558,900	2,916,700	2,434,800
Disease		1,195,590	1,038,810	2,224,800	786,560	428,780
Lambing Complications	732,400 438,700	437,680	566,490	744,470	540,050	703,760
Poison	438,700	396,780	543,230	407,990	395,570	357,880
Old Age	276,400 287,700	245,600	232,140	243,850	257,650	258,000
On Back	287,700 76,500	292,300	312,800	190,950	299,150	308,000
Theft	191,300	91,710 98,240	88,210	61,570	81,510	88,000
Other Known Causes	157,100	254,900	106,060 223,460	95,530	60,150	8,800
Total Loss From All Causes				204,340	223,360	173,980
Madadas all lamb lasses from his	6,997,500	6,496,400	7,185,200	7,732,400	5,560,700	4,762,000

1/Includes all lamb losses from birth both before and after docking. 2/Included in "other predators" prior to 1999.

LOSSES OF SHEEP BY CAUSE: WYOMING 1994-99 1/


	1	LEEF DI CA		VIING 1994-	r	T
Cause of Loss	1994	1995	1996	1997 r of Head	1998	1999
Coyotes	11,500	8,000	7,000	4,000	5,000	4,000
Bobcats	200	100	100	100	· —	· —
Dogs	400	500	500	100	300	400
Bears	1,000	600	300	200	600	300
Eagles	1,000	400	500	100	500	400
Fox	100	100	100	100	500	100
Mountain Lions	500	300	500	300	500	700
Other Predators	300	300	300	100	100	100
		10 000	-			
Total Predators	15,000	10,000	9,000	5,000	7,000	6,000
Weather	3,300	1,800	3,000	12,000	2,300	900
Disease	3,100	1,400	2,100	1,100	1,800	1,600
Lambing Complications	2,200	2,100	2,200°	1,300	2,000	1,900
Poison	2,400	2,500	1,700	1,300	2,000	1,900
Old Age	4,200	3,700	3,400	1,900	3,100	3,500
On Back	1,000	1,100	900	500	800	1,000
Theft	2,500	1,000	800	500	400	100
Other Known Causes	1,300	1,400	900	400	1,600	1,100
Total Loss From All Causes	35,000	25,000	24,000	24,000	21,000	18,000
Coyotes	32.9	32.0	Percent of To	otal by Cause 16.7	23.8	22.:
Bobcats	0.6	0.4	0.4	0.4		
Dogs	1.1	2.0	2.1	0.4	1.4	2.:
Bears	2.9	2.4	1.3	0.8	2.9	1.
Eagles	2.9	1.6	2.1	0.4	2.4	2.:
Fox	0.3	0.4	0.4	0.4	2.4	0.0
Mountain Lions	1.4	1.2	2.1	1.3	2.4	3.9
Other Predators	0.9	_		0.4	0.5	0.0
Total Predators	42.9	40.0	37.5	20.8	33.3	33.3
Weather	9.4	7.2	12.5	50.0	11.0	5.0
Disease	8.9	5.6	8.8	4.6	8.6	8.9
Lambing Complications	6.3	8.4	9.2	5.4	9.5	10.0
Poison	6.9	10.0	7.1	5.4	9.5	10.0
Old Age	12.0	14.8	14.2	7.9	14.8	19.4
On Back	2.9	4.4	3.8	2.1	3.8	5.6
Theft	7.1	4.0	3.3	2.1	1.9	0.6
Other Known Causes	3.7	5.6	3.8	1.7	7.6	6.1
Total Loss From All Causes	100.0	100.0	100.0	100.0	100.0	100.0
				osses by Cause 1/	• • • • • • • • • • • • • • • • • • • •	
Coyotes	787,800	632,000	644,000	402,000	482,500	352,000
Bobcats	13,700	7,900	9,200	10,050		
Dogs	27,400	39,500	46,000	10,050	28,950	35,200
Bears	68,500	47,400	27,600	20,100	57,900	26,400
Eagles	68,500	31,600	46,000	10,050	48,250	35,200
Fox	6,800	7,900	9,200	10,050	,	8,800
Mountain Lions	34,200	23,700	46,000	30,150	48,250	61,600
Other Predators	20,600			10,050	9,650	8,800
Fotal Predators	1,027,500	790,000	828,000	502,500	675,500	
				-		528,000
Weather	226,100	142,200	276,000	1,206,000	221,950	79,200
Disease	212,400	110,600	193,200	110,550	173,700	140,800
Lambing Complications	150,700	165,900	202,400	130,650	193,000	167,200
Poison	164,400	197,500	156,400	130,650	193,000	167,200
Old Age	287,700	292,300	312,800	190,950	299,150	308,000
On Back	68,500	86,900	82,800	50,250	77,200	88,000
Theft	171,300	79,000	73,600	50,250	38,600	8,800
Other Known Causes	89,100	110,600	82,800	40,200	154,400	96,800
Total Loss From All Causes	2,397,500	1,975,000	2,208,000	2,412,000	2,026,500	1,584,000
	-, ,	-, ,0 0 0			_,,	A,0007,000


1/Sheep value per head based on a two-year average value per head of ewes 1+ years. Sheep value: 1994-\$68.50; 1995-\$79.00; 1996-\$92.00; 1997-\$100.50; 1998-\$96.50; 1999-\$88.00.

LOSSES OF LAMBS BY CAUSE: WYOMING 1994-99 1/

	ODDED OF LA	AMIDS DI CA	COSE. ALTOI	VIIING 1334-3	77 11	
Cause of Loss	1994	1995	1996	1997	1998	1999
Coyotes	57,500	40,000	Numb 42,000	er of Head 37,000	34,500	27,000
Bobcats	400	200	300	400	54,500 600	27,000
Dogs	400	600	700	700	700	500 500
Bears	1,600	900	600	700	900	500 500
Eagles	10,100	7,400	8,000	6,900	7,900	
Fox	8,900	5,500	6,700	6,200		7,000
Mountain Lions	1,500	800			5,400	4,600
Ravens 2/	1,500	800	1,300	1,800	1,400	1,300
Vultures 2/						200
Other Predators	600	600	400	300		200
Total Predators					600	200
	81,000	56,000	60,000	54,000	52,000	42,000
Weather	8,600	21,900	14,100	18,000	13,100	7,700
Disease	13,000	6,800	6,900	11,200	8,500	12,400
Lambing Complications	7,200	4,800	6,300	4,900	4,700	4,200
Poison	2,800	1,000	1,400	2,000	1,500	2,000
On Back	200	100	100	200	100	
Theft	500	400	600	800	500	_
Other Known Causes	1,700	3,000	2,600	2,900	1,600	1,700
Total Loss From All Causes	115,000	94,000	92,000	94,000	82,000	70,000
			Percent of T	otal by Cause		. 0,000
Coyotes	50.0	42.6	45.7	39.4	42.1	38.6
Bobcats	0.3	0.2	0.3	0.4	0.7	0.7
Dogs	0.3	0.6	0.8	0.7	0.9	0.7
Bears	1.4	1.0	0.7	0.7	1.1	0.7
Eagles	8.8	7.9	8.7	7.3	9.6	10.0
Fox	7.7	5.9	7.3	6.6	6.6	6.6
Mountain Lions	1.3	0.9	1.4	1.9	1.7	1.9
Ravens 2/				_	_	0.3
Vultures 2/	 ;	_	_	_	_	0.3
Other Predators	0.5	0.6	0.4	0.3	0.7	0.3
Total Predators	70.4	59.6	65.2	57.4	63.4	60.0
Weather	7.5	23.3	15.3	19.1	16.0	11.0
Disease	11.3	7.2	7.5	11.9	10.4	
Lambing Complications	6.3	5.1	6.8	5.2	5.7	17.7 6.0
Poison	2.4	1.1	1.5	2.1	1.8	2.9
On Back	0.2	0.1	0.1	0.2	0.1	2.9
Theft	0.4	0.4	0.7	0.9	0.6	
Other Known Causes	1.5	3.2	2.8	3.1	2.0	2.4
Total Loss From All Causes						
Total Loss From All Causes	100.0	100.0	100.0	100.0	100.0	100.0
Coyotes	2,300,000	1,924,000	Dollar Value of L		1 497 050	1 225 222
Bobcats	16,000	9,620	2,272,200	2,094,200	1,486,950	1,225,800
Dogs	16,000	28,860	16,230	22,640	25,860	22,700
Bears	64,000	•	37,870	39,620	30,170	22,700
Eagles	404,000	43,290	32,460	39,620	38,790	22,700
Fox		355,940	432,800	390,540	340,490	317,800
Mountain Lions	356,000 60,000	264,550	362,470	350,920	232,740	208,840
Ravens 2/	00,000	38,480	70,330	101,880	60,340	59,020
Vultures 2/		 -	-			9,080
Other Predators	24 000	20.000	21.640	16.000		9,080
	24,000	28,860	21,640	16,980	25,860	9,080
Total Predators	3,240,000	2,693,600	3,246,000	3,056,400	2,241,200	1,906,800
Weather	344,000	1,053,390	762,810	1,018,800	564,610	349,580
Disease	520,000	327,080	373,290	633,920	366,350	562,960
Lambing Complications	288,000	230,880	340,830	277,340	202,570	190,680
Poison	112,000	48,100	75,740	113,200	64,650	90,800
On Back	8,000	4,810	5,410	11,320	4,310	
Theft	20,000	19,240	32,460	45,280	21,550	
Other Known Causes	68,000	144,300	140,660	164,140	68,960	77,180
Fotal Loss From All Causes	4,600,000	4,521,400	4,977,200	5,320,400	3,534,200	3,178,000
	-,,	-,,•00	-, ,	2,020,100	J,JJT,200	3,170,000

^{1/}Includes all lamb losses both before and after docking.
2/Included in "other predators" prior to 1999.
3/Lamb value per head based on the annual hundredweight prices received by farmers and ranchers for a 60 pound lamb.
Lamb value: 1994-\$40.00: 1995-\$48.10; 1996-\$54.10; 1997-\$56.60, 1998-\$43.10; 1999-\$45.40.






LOSSES OF LAMBS BEFORE DOCKING: WYOMING 1994-99


Cause of Loss	1994	1995	1996	1997	1998	1999
Cause of Loss	1774	1773	Number			
Coyotes	20,000	13,000	14,000	13,000	12,000	10,000
Bobcats	200	100	100	300	400	500
Dogs	200	200	300	300	200	100
Bears	200	100		100		
Eagles	7,200	4,400	5,400	4,700	5,500	4,800
Fox	6,500	3,600	4,700	5,200	4,100	3,600
Mountain Lions	400	100	200	200	300	400
Ravens 1/	_			_		200
Vultures 1/			_		_	200
Other Predators	300	500	300	200	500	200
Total Predators	35,000	22,000	25,000	24,000	23,000	20,000
Weather	7,100	21,000	12,000	13,200	9,300	6,200
Disease	5,000	1,800	2,800	3,400	4,000	4,000
Lambing Complications	7,200	4,800	6,300	4,900	4,700	4,200
Poison	200	400	100	500	100	200
On Back			_	_		_
Theft			300		300	
Other Known Causes	500	1,000	500	1,000	600	400
Total Loss From All Causes	55,000	51,000	47,000	47,000	42,000	35,000

1/ Included in "other predators" prior to 1999.

LOSSES OF LAMBS AFTER DOCKING: WYOMING 1994-99

Cause of Loss	1994	1995	1996	1997	1998	1999
	Number of Head					
Coyotes	37,500	27,000	28,000	24,000	22,500	17,000
Bobcats	200	100	200	100	200	
Dogs	200	400	400	400	500	400
Bears	1,400	800	600	600	900	500
Eagles	2,900	3,000	2,600	2,200	2,400	2,200
Fox	2,400	1,900	2,000	1,000	1,300	1,000
Mountain Lions	1,100	700	1,100	1,600	1,100	900
Other Predators	300	100	100	100	100	-
Total Predators	46,000	34,000	35,000	30,000	29,000	22,000
Weather	1,500	900	2,100	4,800	3,800	1,500
Disease	8,000	5,000	4,100	7,800	4,500	8,400
Poison	2,600	600	1,300	1,500	1,400	1,800
On Back	200	100	100	200	100	
Theft	500	400	300	800	200	_
Other Known Causes	1,200	2,000	2,100	1,900	1,000	1,300
Total Loss From All Causes	60,000	43,000	45,000	47,000	40,000	35,000





LOSSES OF SHEEP AND LAMBS: PERCENT BY CAUSE WITHIN EACH AGRICULTURAL STATISTICS DISTRICT, WYOMING 1999 1/

Cause of Loss	Northwest	Northeast	West	South Central	Southeast	State
			Per	rcent		
Coyotes	21.9	40.7	26.0	45.4	35.8	35.2
Bobcats		1.0	_		1.0	0.6
Dogs	1.9	0.3	4.0	_	0.5	1.0
Bears	0.6	0.3	4.0	1.5		0.9
Eagles	1.9	10.0	3.0	15.4	9.4	8.4
Fox	1.9	5.7	9.0	2.3	7.9	5.3
Mountain Lions	3.1	1.7	_	4.6	2.1	2.3
Ravens		_	2.0		_	0.2
Vultures			_	_	1.1	0.2
Other Predators	_	0.3	2.0	_	_	0.4
Total Predators	31.3	60.0	50.0	69.2	57.8	54.5
Weather	7.5	11.0	18.0	6.2	7.9	9.8
Disease	45.0	7.7	12.0	6.2	13.2	15.9
Lambing Complications	6.3	6.0	8.0	4.6	10.0	6.9
Poison	2.5	5.7	6.0	3.1	4.2	4.4
Old Age	3.1	5.3	1.0	5.4	3.2	4.0
On Back	1.8	1.0		1.5	1.1	1.2
Theft		_	1.0			0.1
All Other Causes	2.5	3.3	4.0	3.8	2.6	3.2
Total Loss All Causes	100.0	100.0	100.0	100.0	100.0	100.0

1/Includes all lamb losses both before and after docking.